

An organic rapid mixing fiber mulch manufactured to meet the requirements of jet agitated hydro-mulching machines.

NaturesOwn jet mix works best with NaturesOwn Triple Tac which is an organic industrial strength tackifier fit for all hydro-mulching projects.



**NaturesOwn**  
We've Got You Covered

**ADVANTAGES**

- Faster to load - can cut loading time by 30%
- Easy to use - the increased wetting agents allow quicker mixing
- Reduced clogs - less downtime
- Rich green color

**APPLICATIONS**

- Hydro-Seeding
- Strawtacking

**TYPICAL PROJECTS**

- Residential Landscaping
- Commercial Landscaping
- Golf Course

**product specifications**

Packaging: 40 lb bales

Shipment: 2000 lb per pallet

Typical Application Rate:	Hydro-Seeding Jet Mix:
	Mod. To 3:1    1500lb/acre
	3:1 to 2:1    2000lb/acre

**PHYSICAL PROPERTIES**

- Water Holding Capacity >1000%
- Moisture Content 12% +/- 3
- Organic Matter >93%
- Ash Content <7%
- pH Range 6.9+/-2

Distributed by:



Hamilton Manufacturing Co., Inc.  
901 Russet Street, Twin Falls, Idaho 83301 USA  
Ph. 208-733-9689 Fax 208-733-9447 E-mail info@hmi-mfg.com  
http://www.hmi-mfg.com/

Printed on recycled stock



Call us at 208-733-9689  
Ask about our hydro-seeding equipment and our product guarantee



**NaturesOwn**  
We've Got You Covered

APPLICATION RATES *40 lb bags*

SLOPE	RECOMMENDED RATE	TANK SIZE	MULCH	no. of bags	COVERAGE			
		gal/liters	lbs/kg		acres	hectares	ft <sup>2</sup>	m <sup>2</sup>
Moderate to 3:1 slope	1500 lbs per acre or 37.5 bags per acre	1500/5677.8	500/227	12.5	0.33	0.13	14500	1305
		900/3406.68	300/136.4	7.5	0.2	0.08	8700	785
		600/2271.12	200/91	5	0.13	0.05	5800	522
		300/1135.56	100/45.5	2.5	0.07	0.03	2900	261
3:1 to 2:1 slope	2000 lbs per acre or 50 bags per acre	1500/5677.8	500/227	12.5	0.25	0.1	10890	980
		900/3406.68	300/136.4	7.5	0.15	0.06	6532	588
		600/2271.12	200/91	5	0.1	0.04	4355	392
		300/1135.56	100/45.5	2.5	0.05	0.02	2178	196
Greater than 2:1 slope	2500 lbs per acre or 62.5 bags per acre	1500/5677.8	500/227	12.5	0.2	0.08	8712	784
		900/3406.68	300/136.4	7.5	0.12	0.05	5227	470
		600/2271.12	200/91	5	0.08	0.03	3485	314
		300/1135.56	100/45.5	2.5	0.04	0.02	1742	157

JET MULCH MIXING RATIO

Mixing Ratio for most Jet-Agitated Machines: 3 parts water: 1 part Mulch

MIXING INSTRUCTIONS

After the tank is 1/3 full of water add seed and amendments; mix well. Continue filling tank with water and add mulch; mix well. If using compost stop adding water 2/3 full and then mix compost. Finish by filling with water.



Printed on recycled stock



Call us at 208-733-9689  
Ask about our hydro-seeding equipment and our product guarantee